

NCT00108745 GOG-0212 D4 AE Preferred Term NCTN/NCORP Data Archive

Paclitaxel, Polyglutamate Paclitaxel, or Observation in Treating Patients With Stage III or Stage IV Ovarian Epithelial, Peritoneal Cancer, or Fallopian Tube Cancer

J Clin Oncol. 2022 Dec 10;40(35):4119-4128
doi: 10.1200/JCO.22.00146
Epub 2022 Jun 27
PMID: 35759733; PMCID: PMC9746779
Data as of: February 26, 2019

Dataset ID: NCT00108745-D4: This dataset contains the maximum grade of adverse events (AEs) by Preferred Term from trial NCT00108745 presented in 35759733. NCT00108745-D1 contains patient characteristics and outcome data. NCT00108745-D2 contains QOL data. NCT00108745-D3 contains adverse event data by organ system.

These Data can be used to approximate published study findings, but exact reproduction of previous manuscripts may not be possible in some cases (e.g. when data must be modified for de-identification purposes or have undergone further data cleaning).

Seq	Name	Type	Definition
1	UPI	char	Universal patient ID

Seq	Name	Type	Definition
2	NR02	char	Max CTCAE grade for Neuropathy-Sensory

Code
No AE reported
1
2
3
4

Seq	Name	Type	Definition
3	PN18MS02	char	Max CTCAE grade for Pain: Joint

Code
No AE reported
1

<i>Code</i>
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
4	CN01	char	Max CTCAE grade for Fatigue

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
5	CV99	char	Max CTCAE grade for Cardiac General - Other

<i>Code</i>
No AE reported
1
2
3
4

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
6	GI01	char	Max CTCAE grade for Nausea

<i>Code</i>
No AE reported
1
2

<i>Code</i>
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
7	GI03	char	Max CTCAE grade for Diarrhea

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
8	GI05	char	Max CTCAE grade for Dehydration

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
9	HM01	char	Max CTCAE grade for Leukocytes

<i>Code</i>
No AE reported
1
2
3
4

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
10	HM02	char	Max CTCAE grade for Hemoglobin

<i>Code</i>
No AE reported
1
2
3
4

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
11	HM03	char	Max CTCAE grade for Platelets

<i>Code</i>
No AE reported
1
2
4

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
12	HM04	char	Max CTCAE grade for Neutrophils

<i>Code</i>
No AE reported
1
2
3
4

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
13	MT01	char	Max CTCAE grade for Hypomagnesemia

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
14	MT05	char	Max CTCAE grade for Hyperglycemia

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
15	MT08	char	Max CTCAE grade for Hypocalcemia

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
16	MT25	char	Max CTCAE grade for Alt

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
17	NR05	char	Max CTCAE grade for Dizziness

<i>Code</i>
No AE reported
1
2
3
4

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
18	NR31C	char	Max CTCAE grade for Mood Alteration - Depression

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
19	PL08	char	Max CTCAE grade for Cough

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
20	CV03	char	Max CTCAE grade for Hypertension

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
21	PN18MS05	char	Max CTCAE grade for Pain: Back

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
22	AD07	char	Max CTCAE grade for Tinnitus

<i>Code</i>
No AE reported
2

<i>Code</i>
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
23	EN01	char	Max CTCAE grade for Hot Flashes

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
24	GI04	char	Max CTCAE grade for Constipation

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
25	GI06	char	Max CTCAE grade for Anorexia

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
26	NR01	char	Max CTCAE grade for Neuropathy-Motor

<i>Code</i>
No AE reported
1
2
3
4

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
27	PN18NR08	char	Max CTCAE grade for Pain: Head/Headache

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
28	PN18GI01	char	Max CTCAE grade for Pain: Abdominal Pain Nos

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
------------	-------------	-------------	-------------------

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
29	PN18MS01	char	Max CTCAE grade for Pain: Bone

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
30	PN18MS03	char	Max CTCAE grade for Pain: Muscle

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
31	PN18MS07	char	Max CTCAE grade for Pain: Extremity-Limb

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
32	IF02GU06	char	Max CTCAE grade for Inf W/Nml Or Gr 1 Or 2 Anc: Urinary Tract Nos

<i>Code</i>
No AE reported
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
33	GI02	char	Max CTCAE grade for Vomiting

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
34	GI51I	char	Max CTCAE grade for Obstruction, Gi - Small Bowel Nos

<i>Code</i>
No AE reported
1
2
3
4

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
35	MT03	char	Max CTCAE grade for Hypoglycemia

<i>Code</i>
No AE reported

<i>Code</i>
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
36	LP05	char	Max CTCAE grade for Edema: Limb

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
37	DR17	char	Max CTCAE grade for Rash

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
38	HM14	char	Max CTCAE grade for Lymphopenia

<i>Code</i>
No AE reported
1
2

<i>Code</i>
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
39	MT19	char	Max CTCAE grade for Hyponatremia

<i>Code</i>
No AE reported
1
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
40	CN12	char	Max CTCAE grade for Insomnia

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
41	MS99	char	Max CTCAE grade for Musculoskeletal/St: Other

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
42	GI18	char	Max CTCAE grade for Heartburn

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
43	OC01	char	Max CTCAE grade for Blurred Vision

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
44	PL01	char	Max CTCAE grade for Dyspnea

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
45	PN18PL18	char	Max CTCAE grade for Pain: Chest /Thorax Nos

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
46	PN18SX11	char	Max CTCAE grade for Pain: Pelvis

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
47	GU04	char	Max CTCAE grade for Urinary Frequency

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
48	IF04GU06	char	Max CTCAE grade for Inf Unknown Anc: Urinary Tract Nos

<i>Code</i>
No AE reported

<i>Code</i>
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
49	MT24	char	Max CTCAE grade for Ast

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
50	NR31B	char	Max CTCAE grade for Mood Alteration - Anxiety

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
51	GI44	char	Max CTCAE grade for Distention

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
52	IF02PL14	char	Max CTCAE grade for Inf W/Nml Or Gr 1 Or 2 Anc: Upper Airway Nos

<i>Code</i>
No AE reported
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
53	AL01	char	Max CTCAE grade for Allergic Reaction/Hypersensitivity

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
54	IF04GU01	char	Max CTCAE grade for Inf Unknown Anc: Bladder (Urinary)

<i>Code</i>
No AE reported
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
55	NR10	char	Max CTCAE grade for Memory Impairment

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
56	AD05	char	Max CTCAE grade for Hearing (Without Monitoring Program)

<i>Code</i>
No AE reported
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
57	DR05	char	Max CTCAE grade for Pruritus

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
58	DR19	char	Max CTCAE grade for Nail Changes

<i>Code</i>
No AE reported
1

<i>Code</i>
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
59	MS01B	char	Max CTCAE grade for Muscle Weakness - Extremity-Lower

<i>Code</i>
No AE reported
1
2
3
4

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
60	MS01J	char	Max CTCAE grade for Muscle Weakness - Whole Body/Generalized

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
61	CN06	char	Max CTCAE grade for Weight Gain

<i>Code</i>
No AE reported
1
2

<i>Code</i>
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
62	GI51B	char	Max CTCAE grade for Obstruction, Gi - Colon

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
63	HG15O	char	Max CTCAE grade for Hemorrhage, Gi - Rectum

<i>Code</i>
No AE reported
1
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
64	IF03SX03	char	Max CTCAE grade for Inf W/Gr 3 Or 4 Anc: Pelvis Nos

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
65	IF04SX03	char	Max CTCAE grade for Inf Unknown Anc: Pelvis Nos

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
66	PN18NR09	char	Max CTCAE grade for Pain: Neuralgia

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
67	GU10	char	Max CTCAE grade for Incontinence, Urinary

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
68	MS03	char	Max CTCAE grade for Arthritis

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
69	MT04	char	Max CTCAE grade for Hypokalemia

<i>Code</i>
No AE reported
1
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
70	HG16N	char	Max CTCAE grade for Hemorrhage, Gu - Vagina

<i>Code</i>
No AE reported
1
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
71	PN99	char	Max CTCAE grade for Pain - Other

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
72	GI46	char	Max CTCAE grade for Hemorrhoids

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
73	CV14A	char	Max CTCAE grade for S/N Arrhythmia: Atrial Fibrillation

<i>Code</i>
No AE reported
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
74	IF02PL11	char	Max CTCAE grade for Inf W/Nml Or Gr 1 Or 2 Anc: Sinus

<i>Code</i>
No AE reported
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
75	CV21A	char	Max CTCAE grade for Pericardial Effusion

<i>Code</i>
No AE reported
4

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
76	PN18PL17	char	Max CTCAE grade for Pain: Chest Wall

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
77	NR99	char	Max CTCAE grade for Neurology - Other

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
78	CG05	char	Max CTCAE grade for Ptt

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
------------	-------------	-------------	-------------------

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
79	GI99	char	Max CTCAE grade for Gastrointestinal - Other

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
80	NR16	char	Max CTCAE grade for Cognitive Disturbance

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
81	MS13	char	Max CTCAE grade for Fracture

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
82	IF02GI01	char	Max CTCAE grade for Inf W/Nml Or Gr 1 Or 2 Anc: Abdomen Nos

<i>Code</i>
No AE reported
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
83	PN18MS09	char	Max CTCAE grade for Pain: Neck

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
84	EN99	char	Max CTCAE grade for Endocrine - Other

<i>Code</i>
No AE reported
1
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
85	IF99	char	Max CTCAE grade for Infection - Other

<i>Code</i>
No AE reported
1
2

<i>Code</i>
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
86	IF04PL11	char	Max CTCAE grade for Inf Unknown Anc: Sinus

<i>Code</i>
No AE reported
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
87	IF02PL01	char	Max CTCAE grade for Inf W/Nml Or Gr 1 Or 2 Anc: Bronchus

<i>Code</i>
No AE reported
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
88	IF02GU01	char	Max CTCAE grade for Inf W/Nml Or Gr 1 Or 2 Anc: Bladder

<i>Code</i>
No AE reported
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
89	OC05	char	Max CTCAE grade for Cataract

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
90	GI42	char	Max CTCAE grade for Dental: Teeth

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
91	DR20	char	Max CTCAE grade for Wound Complication, Non-Infectious

<i>Code</i>
No AE reported
1
2
3
4

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
92	GI51F	char	Max CTCAE grade for Obstruction, Gi - Ileum

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
93	CG01	char	Max CTCAE grade for Inr

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
94	NR08	char	Max CTCAE grade for Syncope

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
95	IF01	char	Max CTCAE grade for Febrile Neutropenia

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
96	NR11	char	Max CTCAE grade for Confusion

<i>Code</i>
No AE reported
1
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
97	ML01	char	Max CTCAE grade for 2nd Mal: Poss. Related To Cancer Rx

<i>Code</i>
No AE reported
3
4

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
98	PN18MS08	char	Max CTCAE grade for Pain: Intestine

<i>Code</i>
No AE reported
1
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
99	IF02GN03	char	Max CTCAE grade for Inf W/Nml Or Gr 1 Or 2 Anc: Wound

<i>Code</i>
No AE reported
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
100	PN18GI16	char	Max CTCAE grade for Pain: Stomach

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
101	SY04	char	Max CTCAE grade for Flu-Like Syndrome

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
102	CV17	char	Max CTCAE grade for Vasovagal Episode

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
103	GI17	char	Max CTCAE grade for Colitis

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
104	IF04PL03	char	Max CTCAE grade for Inf Unknown Anc: Lung (Pneumonia)

<i>Code</i>
No AE reported
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
105	GI10	char	Max CTCAE grade for Ileus

<i>Code</i>
No AE reported
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
106	VS02	char	Max CTCAE grade for Thrombosis/Thrombus/Embolism

<i>Code</i>
No AE reported
2
3
4

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
107	PN18HP02	char	Max CTCAE grade for Pain: Gallbladder

<i>Code</i>
No AE reported
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
108	NR13	char	Max CTCAE grade for Ataxia

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
109	NR27	char	Max CTCAE grade for Seizure

<i>Code</i>
No AE reported
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
110	MS01E	char	Max CTCAE grade for Muscle Weakness - Left-Sided

<i>Code</i>
No AE reported
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
111	VS03	char	Max CTCAE grade for Thrombosis/Embolism (Vascular Access-Related)

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
112	MS09	char	Max CTCAE grade for Gait/Walking

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
113	HP12	char	Max CTCAE grade for Cholecystitis

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
114	GI11A	char	Max CTCAE grade for Dysphagia

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
115	IF02GI05	char	Max CTCAE grade for Inf W/Nml Or Gr 1 Or 2 Anc: Colon

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
116	HM99	char	Max CTCAE grade for Blood/Bone Marrow - Other

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
117	MS01C	char	Max CTCAE grade for Muscle Weakness - Extremity-Upper

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
118	MT12	char	Max CTCAE grade for Alkalosis

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
119	MS14	char	Max CTCAE grade for Joint Effusion

<i>Code</i>
No AE reported
1
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
120	AD04	char	Max CTCAE grade for Otitis Middle Ear

<i>Code</i>
No AE reported
1
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
121	GU12G	char	Max CTCAE grade for Obstruction, Gu - Ureter

<i>Code</i>
No AE reported
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
122	NR38	char	Max CTCAE grade for Mental Status

<i>Code</i>
No AE reported
1
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
123	PL11	char	Max CTCAE grade for Hypoxia

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
124	IF04GN03	char	Max CTCAE grade for Inf Unknown Anc: Wound

<i>Code</i>
No AE reported
2

<i>Code</i>
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
125	SY99	char	Max CTCAE grade for Syndromes - Other

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
126	GI51K	char	Max CTCAE grade for Obstruction, Gi - Stomach

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
127	IF03DR03	char	Max CTCAE grade for Inf W/Gr 3 Or 4 Anc: Skin (Cellulitis)

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
128	NR34	char	Max CTCAE grade for Encephalopathy

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
129	OC17	char	Max CTCAE grade for Retinal Detachment

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
130	NR15	char	Max CTCAE grade for Cns Ischemia

<i>Code</i>
No AE reported
4

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
131	NR25	char	Max CTCAE grade for Personality

<i>Code</i>
No AE reported
4

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
132	IF02GN04	char	Max CTCAE grade for Inf W/Nml Or Gr 1 Or 2 Anc: Blood

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
133	IF02GU02	char	Max CTCAE grade for Inf W/Nml Or Gr 1 Or 2 Anc: Kidney

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
134	CG99	char	Max CTCAE grade for Coagulopathy - Other

<i>Code</i>
No AE reported
1
2
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
135	IF04GI03	char	Max CTCAE grade for Inf Unknown Anc: Appendix

<i>Code</i>
No AE reported
4

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
------------	-------------	-------------	-------------------

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
136	HG16H	char	Max CTCAE grade for Hemorrhage, Gu - Stoma

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
137	GI51G	char	Max CTCAE grade for Obstruction, Gi - Jejunum

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
138	CV21B	char	Max CTCAE grade for Pericarditis

<i>Code</i>
No AE reported
3

<i>Seq</i>	<i>Name</i>	<i>Type</i>	<i>Definition</i>
139	IF02GN01	char	Max CTCAE grade for Inf W/Nml Or Gr 1 Or 2 Anc: Catheter-Related

<i>Code</i>
No AE reported
3